



V TEVO
CREATIONS INC.

HIGH
PERFORMANCE
AUTOMOTIVE
COATING

CATALOGUE



Glass Protection System

Revitalize and maintain your windshield "in new condition" that increases visibility and enhances the vision while driving.



Interior Protection System

Rejuvenate the shine of faded leather surface that it once had. Prevent liquid stain on your car seat fabric. Long lasting effect of anti bacterial property.



Body Protection System

Layers of protection on car body surface against harsh environmental conditions such as acidic rain, UV rays, temperature resistant and organic stain.




Plastic Protection System

Provide ultimate protection on rubber and plastic surface to prevent from aging, fading and discolouration.



Metal Protection System

Enhances the appearance with extraordinary gloss of your metal surface while provide corrosion and scratch resistance.



About Us

LET THE BEST SERVE THE BEST

We are problem solvers and solution seekers, delivering exceed and beyond expectation of service, leaving no stone unturned.

DISCOVER . INNOVATE . DELIVER



PERSISTENT R&D

Since 1988, our team has already carrying the motto of innovation integration into developing practical protection coating solution with outstanding performance & quality, delivering you ultimate product experience that will amaze you beyond your wildest imagination.



REAL QUARTZ PRODUCTS

Derived from highly functional silicone resin with best adjustment formulation, exhibiting excellent properties in gloss, anti-corrosion, water & stain repellency, slippery, scratch & impact resistance.



PERSISTENT CUSTOMER CARE

Readily available support platform from TEVO consisting of technical, chemistry & marketing expertise. Assisting our customer succeeding in their business while succeeding TEVO !






Malaysia (HQ)

Plot 155, Jln. Perindustrian Bukit Minyak 7,
Bkt. Minyak Industrial Estate,
MK 13, S.P.T. 14100 Bkt. Mertajam,
Penang, Malaysia.
T : +604-5085688
F : +604-5085680
E : sales@tevocreations.com

Available in :

- | | | |
|----------------------|--------------|------------|
| Singapore | Egypt | Kazakhstan |
| Indonesia | Qatar | Oman |
| Brunei | Australia | Russia |
| Thailand | Italy | Canada |
| Hong Kong | Columbia | Sweden |
| United Arab Emirates | United State | Argentina |
| Poland | Bahrain | Germany |
| France | Ukraine | |

Content

| NO | CODE | PRODUCT DESCRIPTIONS | PACKING SIZE |
|----|--------|---|--|
| 1 | S60 | BodyGard S60 Solvent based car body coating |  50ml Sealed Glass Bottle |
| 2 | S36 | BodyGard S36 Car body water based hydrophobic coating |  50ml Sealed Glass Bottle |
| 3 | GG | GlassGard High visibility windscreen coating |  30ml Sealed Glass Bottle |
| 4 | MG | MetalGard Hardest and strongest metal coating |  30ml Sealed Glass Bottle |
| 5 | PG | PlusGard Plastic Restoration and Protection Coating |  30ml Sealed Glass Bottle |
| 6 | GAAR | G-Activ AutoRevive Instant Action Coating | 300ml Spray Bottle / 20Lit Drum |
| 7 | GASV | G-Activ SafeVision Instant Windshield Coating | 300ml Spray Bottle / 20Lit Drum |
| 8 | GABC | G-Activ BuffCoat Deep Gloss Coating | 300ml Spray Bottle / 20Lit Drum |
| 9 | GALG | G-Activ LeatherGard Leather restoration and protection coating | 300ml Spray Bottle / 20Lit Drum |
| 10 | GASC | G-Activ SoftCoat Remove stubborn watermark and stain | 300ml Spray Bottle / 20Lit Drum |
| 11 | GAUC | G-Activ UniClean Universal waterless cleaner | 300ml Spray Bottle / 20Lit Drum |
| 12 | GAUAB | G-Activ UniAbsorbent Universal absorptive surface coating | 300ml Spray Bottle / 20Lit Drum |
| 13 | GAUAB+ | G-Activ UniAbsorbent+ Advanced universal absorptive surface coating | 300ml Spray Bottle / 20Lit Drum |
| 14 | GAUNL | G-Activ Utilize Instant anti-bacteria coating | 300ml Spray Bottle / 20Lit Drum |
| 15 | GAUNL+ | G-Activ Utilize+ Long lasting anti-bacteria coating | 300ml Plastic Bottle / 20Lit Drum |
| 16 | GAIR | G-Activ Iron Remover Metal & Rim iron remover | 300ml Spray Bottle / 20Lit Drum |
| 17 | MS | MetalScrub Metal rejuvenation cleaner | 300ml Plastic Bottle |
| 18 | BS | BodyScrub Stubborn stain instant remover | 300ml Spray Bottle |
| 19 | GAGD | G-Activ Glass Degreaser Glass stain remover | 300ml Plastic Bottle / 20Lit Drum |
| 20 | GWR | Glass Watermark Remover Universal waterless cleaner | 300ml Plastic Bottle |
| 21 | BMS | BubbleMax Shampoo Highly concentrate 1:120 Bubble Shampoo | 300ml Spray Bottle / 20Lit Drum |
| 22 | P70 | Bodywerk P70 One step polishing compound | 300ml Plastic Bottle / 1 Lit Drum |
| 23 | P80 | Bodywerk P80 Cutting polishing compound | 300ml Plastic Bottle / 1 Lit Drum |

PRICE (T&C Apply)

USD 135

PRODUCT CODE

BG - S60

PROFESSIONAL ONLY



BodyGard S60

Solvent Based Car Body Coating

BodyGard-S60 (BG-S60) is formulated by using the highest standard of raw materials which able to provide maximum protection to your car painted surface with ultra-thin glass filming that contaminations unable adhere to your coated surface easily. BG-S60 does not deteriorate by weathering nor ultraviolet rays up to 5 years, it provides superior water repellency and extraordinary gloss finishing.

Solvent based with fast drying and curing characteristics.

A formulation with superior hydrophobicity and durability.

Properties : Outstanding gloss, hydrophobic and non-greasy finishing.

Precaution(s) : Avoid to coat direct under the sunlight, rain, dusty area, and high temperature location.

Reminder : Surface is not allowed to contact with water for 24 hours and only washable with detergent after 5 days.

Preparation(s): Wash, clay, polish, scrub by using BodyScrub, and dry the surface with microfiber cloth. 9H SGS Certified, 1st choice in 4 seasons country. In house acid/alkaline tested.




PACKING 50ml Glass Bottle



PENCIL HARDNESS 9H
Prevent paint degradation and oxidation



WEATHER RESISTANCE
Withstand acidic rain, freezing temperature, UV and high heat



SUPERIOR WATER BEADING
Hydrophobic effect with stain and water repellency



MIRROR FINISHING
Rejuvenate dull colour and enhances it to look better than new car



| | |
|-------------------|--|
| PHYSICAL | Clear liquid (Solvent based) |
| COLOUR | Transparent |
| ODOUR | Moderate |
| FINISHING | Glossy |
| DURABILITY | Up to 5 years |
| COATING THICKNESS | 2-2.5 Microns |
| HARDNESS | > 8.5 H |
| CONTACT ANGLE | > 100 degrees |
| COVERAGE | 200 m ² / Litre OR 50ml / 2 cars |
| SHELF LIFE | Sealed 12 months / Opened 1 month |
| CURING TIME | 24 hours for surface drying/ 5 days fully cure |
| LAYER | Multiple for better scratch resistance |
| APPLICATION | Apply and buff |

| | | | | | |
|------------|--------|---------|---------|---------|---------|
| Hardness | 6 H | 7 H | 8 H | 9 H | > 9 H |
| Repellence | | | | | MAX |
| Smoothness | | | | | MAX |
| Glossiness | | | | | MAX |
| Durability | 1 YEAR | 2 YEARS | 3 YEARS | 4 YEARS | 5 YEARS |

PRICE (T&C Apply)
USD 120

PRODUCT CODE
BG - S36
PROFESSIONAL ONLY



BodyGard S36

Waterbased Car Body Coating

BodyGard-S36 (BG-S36) is a non-toxic and low solvent composition. BG-S36 does not deteriorate by weathering nor ultraviolet ray due to its chemical inert property. Additionally, surface coated with BG-S36 resulting in silky smooth finishing, excellent water repellency, and highest level of glossiness. Guaranteed of no more waxing your car for the next 3 years.

Specifically formulated to lessen watermark adherence and marking issue.

Can be used as top coat or second layer after BG-S60 for optimum performance.

Properties : Hydrophobic with ultra-smooth finishing; thicker layer which requires longer drying time

Precaution(s) : Avoid to coat direct under the sunlight, rain, dusty area, and high temperature location.

Reminder : Surface is not allowed to contact with water for 24 hours and only washable with detergent after 5 days.

Preparation(s) : Wash, clay, polish, scrub by using BodyScrub, and dry the surface with microfiber cloth. 1st choice among ASEAN countries. In house acid/alkaline and anti-graffiti tested.



PACKING 50ml Glass Bottle



SILKY SMOOTH



LESSER WATERMARK



SCRATCH RESISTANCE



THICKER LAYER



| | |
|-------------------|--|
| PHYSICAL | Clear liquid (Water based) |
| COLOUR | Transparent |
| ODOUR | Mild |
| FINISHING | Glossy & smooth finishing |
| DURABILITY | Up to 3 years |
| COATING THICKNESS | 3-4.5 Microns |
| HARDNESS | > 8 H |
| CONTACT ANGLE | > 90 degrees |
| COVERAGE | 200 m ² / Litre OR 50ml / 2 cars |
| SHELF LIFE | Sealed 10 months / Opened 1 month |
| CURING TIME | 24 hours for surface drying/ 7 days fully cure |
| LAYER | Multiple for higher gloss |
| APPLICATION | Apply and buff |

| | | | | | |
|------------|--------|---------|---------|---------|---------|
| Hardness | 6 H | 7 H | 8 H | 9 H | > 9 H |
| Repellence | | | | | MAX |
| Smoothness | | | | | MAX |
| Glossiness | | | | | MAX |
| Durability | 1 YEAR | 2 YEARS | 3 YEARS | 4 YEARS | 5 YEARS |

PRICE (T&C Apply)
USD 38

PRODUCT CODE
GG
 PROFESSIONAL ONLY



GlassGard

High Visibility Windscreen Coating

TEVO GlassGard (GG) is specifically formulated to benefit the consumer in numerous ways. The coating can enhance the visibility during raining day, minimize stain issue, and provide easy cleaning ability. No more stubborn watermark on the glass surface.

Can be applied multiple layers to replenish the hydrophobic effect after a certain of period. Suitable for any glass surface.

Properties : Hydrophobic with ultra-smooth finishing.

Precaution(s) : Avoid to coat direct under the sunlight, rain, dusty area, and high temperature location.

Reminder : Surface is not allowed to contact with water for 24 hours and only washable with detergent after 5 days.

Preparation(s) : Clean the glass surface with Glass Watermark Remover or Glass Degreaser before coat.



PACKING 30ml Glass Bottle



**NO WIPER JERKING PROBLEM !
 HIGH VISIBILITY !
 SAFE JOURNEY !**

| | |
|-------------------|--|
| PHYSICAL | Clear liquid (Solvent Based) |
| COLOUR | Transparent |
| ODOUR | Moderate |
| FINISHING | Clear and ultra-smooth finishing |
| DURABILITY | Up to 1 year |
| COATING THICKNESS | 1 - 2 Microns |
| HARDNESS | >4H |
| CONTACT ANGLE | >100 degrees |
| COVERAGE | 200 m ² / Litre OR 30ml/ 2 Cars |
| SHELF LIFE | Sealed 12 months / Opened 1 month |
| CURING TIME | 24 hours for surface drying/ 7 days fully cure |
| LAYER | Single |
| APPLICATION | Apply and buff |

| | | | | | |
|------------|--------|---------|---------|---------|---------|
| Hardness | 6 H | 7 H | 8 H | 9 H | > 9 H |
| Repellence | | | | | MAX |
| Smoothness | | | | | MAX |
| Glossiness | | | | | MAX |
| Durability | 1 YEAR | 2 YEARS | 3 YEARS | 4 YEARS | 5 YEARS |

PRICE (T&C Apply)

USD 80

PRODUCT CODE
MG

PROFESSIONAL ONLY



MetalGard

Hardest and Strongest Metal Coating

New formulation for metal, carbon fiber, chrome, aluminium and stainless steel parts. TEVO MetalGard (MG) helps to maintain the appearance of the surface, while prevents oxidation. It also provides hardest layer to prevent hash staining and giving you the most ease cleaning characteristic.

Do not coat on car body and plastic surface, it may lead to crack when contacts with impact due to high hardness remove and lack of flexibility.

Not recommended to apply on machinery parts and disc brake.

Properties : Strong layer isolate air contact with metal surface to prevent rusty and avoid brake dust and tar staining and provides moderate gloss.

Precaution(s) : Avoid coating direct under the sunlight, rain, dusty area, and high temperature location.

Reminder : Only applicable on hard and solid steel, chrome, stainless steel, and alloy surface.

Preparation(s) : Scrub or polish the metal surface by using MetalScrub.



CAN BE APPLIED ON

Metal Surface



Steel Surface



Chrome Surface



| | |
|-------------------|--|
| PHYSICAL | Clear liquid (Solvent based) |
| COLOUR | Yellowish |
| ODOUR | Moderate |
| FINISHING | Glossy and hydrophobic |
| DURABILITY | Up to 2 years |
| COATING THICKNESS | 2-2.5 microns |
| HARDNESS | >9H |
| CONTACT ANGLE | >90 degrees |
| COVERAGE | 200 m ² / Litre |
| SHELF LIFE | Sealed 12 months/ Opened 1 month |
| CURING TIME | 24 hours for surface drying/ 7 days fully cure |
| LAYER | Multiple to achieve higher gloss & hardness |
| APPLICATION | Apply then buff |

| | | | | | |
|------------|--------|---------|---------|---------|---------|
| Hardness | 6 H | 7 H | 8 H | 9 H | > 9 H |
| Repellence | | | | | MAX |
| Smoothness | | | | | MAX |
| Glossines | | | | | MAX |
| Durability | 1 YEAR | 2 YEARS | 3 YEARS | 4 YEARS | 5 YEARS |

PRICE (T&C Apply)
USD 80

PRODUCT CODE
PG
PROFESSIONAL ONLY



PlusGard

Plastic Restoration and Protection Coating

New formulation for plastic parts & faded parts. TEVO PlusGard helps to rejuvenate the color contrast and glossiness from your dull & faded surface. Enhancing characteristic of stain repellent, easy cleaning and retaining surface colour for more than a year.

Mild gloss finishing for first layer and glossiness does increase over the layers. Recommended for two layers.

Prevent plastic surface from deteriorating.

Properties : Brand new look with hydrophobic effect.

Precaution(s) : Avoid to coat direct under the sunlight, rain, dusty area, and high temperature location.

Reminder : Surface is not allowed to contact with water for 24 hours upon coated.

Preparation(s) : Clean the surface by using UniClean.



PACKING 30ml Glass Bottle

*Having headache with plastic faded surface ?
No Problem !*

Can be applied on



| | |
|-------------------|--|
| PHYSICAL | Clear liquid (Solvent based) |
| COLOUR | Transparent |
| ODOUR | Moderate |
| FINISHING | Matte finishing / Mild gloss finishing |
| DURABILITY | Up to 2 years for brand new surface |
| COATING THICKNESS | 2-3.5 microns |
| HARDNESS | >6H |
| CONTACT ANGLE | >90 degrees |
| COVERAGE | 200 m ² / Litre |
| SHELF LIFE | Sealed 12 months/ Opened 1 month |
| CURING TIME | 24 hours for surface drying/ 7 days fully cure |
| LAYER | Multiple for higher gloss |
| APPLICATION | Apply and buff |

| | | | | | |
|------------|--------|---------|---------|---------|---------|
| Hardness | 6 H | 7 H | 8 H | 9 H | > 9 H |
| Repellence | | | | | MAX |
| Smoothness | | | | | MAX |
| Glossiness | | | | | MAX |
| Durability | 1 YEAR | 2 YEARS | 3 YEARS | 4 YEARS | 5 YEARS |

G-Activ Series



G-Activ AutoRevive

Instant Action Coating

| PRODUCT CODE | | PACKING | |
|--------------------------|-----------------------|--------------|--------------|
| GAAR | 300ml | Spray Bottle | Plastic Drum |
| PRICE (T&C apply) | | | |
| Ala Carte | Set | | |
| 1 Carton Box(44 bottles) | 1 Carton Box(22 sets) | | |
| USD 5.3per bottle | USD 7.6per set | | |

G-Activ AutoRevive is formulated based on "Now Everyone Can Coat" motto. Single step solution providing superior stain repellent, hydrophobicity, gloss and smoothness; yet no pre-requisite of skillset and technical knowledge required to achieve optimum detailing performance.

| | | | |
|-------------------|--------------------------------|-------------|--|
| PHYSICAL | Water based | SHELF LIFE | 18 months |
| APPEARANCE | Pink | CURING TIME | Instant |
| ODOUR | None | LAYER | Multiple layer is allowed for better performance |
| FINISHING | Gloss | APPLICATION | Spray and buff dry |
| DURABILITY | Up to 3 months | | |
| COATING THICKNESS | Up to 1 micron | | |
| COVERAGE | Up to 75m ² / Litre | | |



G-Activ SafeVision

Instant Windshield Coating

| PRODUCT CODE | | PACKING | |
|--------------------------|-----------------------|--------------|--------------|
| GASV | 300ml | Spray Bottle | Plastic Drum |
| PRICE (T&C apply) | | | |
| Ala Carte | Set | | |
| 1 Carton Box(44 bottles) | 1 Carton Box(22 sets) | | |
| USD 5.3per bottle | USD 7.9per set | | |

G-Activ SafeVision is a two in one, clean & coat solution; whilst restoring mild blurrish windscreen, it lays a layer of coating on top at the same time; provides superior hydrophobic and beading effect while water beads starts to flow even in low driving speed, clear eyes vision when water does not stagnant on the screen.

| | | | |
|-------------------|----------------------------|-------------|--|
| PHYSICAL | Water based | SHELF LIFE | 24 months |
| APPEARANCE | Blue | CURING TIME | Instant |
| ODOUR | None | LAYER | Multiple layer is allowed for better performance |
| FINISHING | Clear transparent | APPLICATION | Spray and buff |
| DURABILITY | Up to 3 months | | |
| COATING THICKNESS | Up to 1 micron | | |
| COVERAGE | 300 m ² / Litre | | |



G-Activ BuffCoat

Deep Gloss Coating

| PRODUCT CODE | | PACKING | |
|--------------------------|-----------------------|--------------|--------------|
| GABC | 300ml | Spray Bottle | Plastic Drum |
| PRICE (T&C apply) | | | |
| Ala Carte | Set | | |
| 1 Carton Box(44 bottles) | 1 Carton Box(22 sets) | | |
| USD 7.2per bottle | USD 8.9per set | | |

When gloss and smoothness are your thing, look no others but BuffCoat. Imagine silica coating with spray and buff, no downtime nor tack free time; simplified application method with professional result.

BuffCoat just only need to be done in a single layer and it able to perform like actual silica coating for 6 to 8 months of durability; at any time being if you feel to rejuvenate the coating, it can be done easily.

| | | | |
|-------------------|----------------------------|-------------|-----------------------------------|
| PHYSICAL | Water based | SHELF LIFE | 24 months |
| APPEARANCE | Green | CURING TIME | 30 minutes |
| ODOUR | None | LAYER | Multiple to achieve even coverage |
| FINISHING | Gloss and smooth | APPLICATION | Spray and buff dry |
| DURABILITY | Up to 6 months | | |
| COATING THICKNESS | Up to 1 micron | | |
| COVERAGE | 300 m ² / Litre | | |



G-Activ Series



G-Activ LeatherGard

Leather Restoration and Protection Coating

| PRODUCT CODE | | PACKING | |
|--------------------------|-------|-----------------------|--------------|
| GALG | 300ml | Spray Bottle | Plastic Drum |
| PRICE (T&C apply) | | | |
| Ala Carte | | Set | |
| 1 Carton Box(44 bottles) | | 1 Carton Box(22 sets) | |
| USD 6.5per bottle | | USD 9per set | |

Specifically formulated for soft plastic and high quality of leather by using finest grade of silicone and polymer to allow deeper coat for higher durability. Non-oil based carrier has been used in the formulation to avoid over oily touching feel while maintain natural finishing with mild gloss. It can be applied on dashboard, leather covered part, leather seat and etc.

| | | | |
|-------------------|----------------------------|-------------|-----------------------------------|
| PHYSICAL | Water based | SHELF LIFE | 24 months |
| COLOUR | Milky white | CURING TIME | Instant |
| ODOUR | None | LAYER | Multiple to achieve even coverage |
| FINISHING | Satin matte | APPLICATION | Spray and buff |
| DURABILITY | Up to 6 months | | |
| COATING THICKNESS | Up to 1 micron | | |
| COVERAGE | 300 m ² / Litre | | |



G-Activ UniClean

Universal Waterless Cleaner

| PRODUCT CODE | | PACKING | |
|--------------------------|-------|-----------------------|--------------|
| GAUC | 300ml | Spray Bottle | Plastic Drum |
| PRICE (T&C apply) | | | |
| Ala Carte | | Set | |
| 1 Carton Box(44 bottles) | | 1 Carton Box(22 sets) | |
| USD 4per bottle | | USD 8.5per set | |

Fast, aromatic and deep cleaning solution. UniClean has high evaporation rate which allows the cleaning process faster while leaving no mark behind. Suitable to use before coating to remove polishing stain or grease, but not recommend using after coat. Convenient and amazing cleaner you would like to keep it around all the time.

| | | | |
|-------------------|----------------------|-------------|-------------------------------|
| PHYSICAL | Liquid (Water based) | SHELF LIFE | 18 months |
| APPEARANCE | Transparent | COVERAGE | Up to 75m ² /Litre |
| ODOUR | None | CURING TIME | N/A |
| FINISHING | Non-sticky | LAYER | N/A |
| DURABILITY | N/A | APPLICATION | Spray and buff |
| COATING THICKNESS | N/A | | |
| HARDNESS | N/A | | |



G-Activ SoftCoat

Remove Stubborn Watermark and Stain

| PRODUCT CODE | | PACKING | |
|--------------------------|-------|-----------------------|--------------|
| GASC | 300ml | Spray Bottle | Plastic Drum |
| PRICE (T&C apply) | | | |
| Ala Carte | | Set | |
| 1 Carton Box(44 bottles) | | 1 Carton Box(22 sets) | |
| USD 26.9per bottle | | USD 29.5per set | |

G-Activ SoftCoat can be applied on any solid and non-porous surface. As a result, it enhances the coated surface with exceptional glossiness, smoothness, and hydrophobic effect. Single layer of coating is able to last up to 6 months and it can be applied multiple layers to patch up the existing layer. Applicable on all exterior surfaces: Windscreen, body, plastic, alloy & etc.

| | | | |
|-------------------|----------------------|---------------|--|
| PHYSICAL | Liquid (Water based) | CONTACT ANGLE | > 90 degrees |
| COLOUR | Light Beige | COVERAGE | 100 m ² / Litre @ 50ml / 3 cars |
| ODOUR | None | CURING TIME | 5 minutes |
| FINISHING | Gloss & smooth | LAYER | Multiple |
| DURABILITY | Up to 6 months | APPLICATION | Apply and buff |
| COATING THICKNESS | 1-2.5 Micron | | |
| HARDNESS | > 4 H | | |



G-Activ Series

G-Activ UniAbsorbent

Universal Absorptive Surface Coating

| PRODUCT CODE | | PACKING | |
|--------------------------|-----------------------|--------------|--------------|
| GAUAB | 300ml | Spray Bottle | Plastic Drum |
| PRICE (T&C apply) | | | |
| Ala Carte | Set | | |
| 1 Carton Box(44 bottles) | 1 Carton Box(22 sets) | | |
| USD 5 per bottle | USD 7.6 per set | | |



Nano-technology innovated formulation that helps to protect fabric and any absorptive/porous materials from water and stain. The coating is invisible and will never alter surface colour, texture, and appearance at all. In addition of that, TEVO material will not seal up the fabric surface thence the fabric is still "breathable" even after coated.

| | | | |
|-------------------|---------------------------|-------------|--|
| PHYSICAL | Clear Liquid(Waterbased) | SHELF LIFE | 24 months |
| COLOUR | Transparent | CURING TIME | 3 hours drying / 24 hours fully cure |
| ODOUR | None | LAYER | Multiple to achieve better water angle & surface tension |
| FINISHING | Invisible and hydrophobic | APPLICATION | Spray evenly until surface is damp |
| DURABILITY | Up to 1 year or 5 washes | | |
| COATING THICKNESS | None | | |
| COVERAGE | Up to 25m ² | | |



DON'T YOU KNOW FABRIC CAN BE COATED TOO?



G-Activ UniAbsorbent+

Advanced Universal Absorptive Surface Coating

| PRODUCT CODE | | PACKING | |
|-------------------|-------|--------------|--------------|
| GAUAB+ | 300ml | Spray Bottle | Plastic Drum |
| PROFESSIONAL ONLY | | | |
| PRICE (T&C apply) | 300ml | USD 27 | |



The ultimate version of Uni-Absorbent and formulated by newest nanotechnology. Uni-Absorbent + modifies the surface structure by penetrating deep into the tiny pores and bond with it. Modified surface becomes water and liquid repellent while remains breathable, original texture, and natural finishing. The "+" version has better bonding strength compare to its original version and leads to better surface tension, durability, and abrasion resistant.

| | | | |
|-------------------|---------------------------|-------------|--|
| PHYSICAL | Liquid(Waterbased) | SHELF LIFE | 24 months |
| COLOUR | Translucent | CURING TIME | 24 hours |
| ODOUR | None | LAYER | Multiple to achieve better water angle & surface tension |
| FINISHING | Invisible and hydrophobic | APPLICATION | Spray evenly until surface is damp |
| DURABILITY | Up to 2 year or 10 washes | | |
| COATING THICKNESS | None | | |
| COVERAGE | Up to 25m ² | | |



G-Activ Series



G-Activ Unilize



| PRODUCT CODE | | PACKING | |
|--------------------------|-----------------------|--------------|--------------|
| GAUNL | 300ml | Spray Bottle | Plastic Drum |
| PRICE (T&C apply) | | | |
| Ala Carte | Set | | |
| 1 Carton Box(44 bottles) | 1 Carton Box(22 sets) | | |
| USD 4 per bottle | USD 5.2 per set | | |

Instant Anti-Bacteria Coating

Unilize is an ultra-fast action sterilizing solution that eliminates up to 99% of microbial, germ, and virus on the coated surface; it also deodorises and improves surrounding air quality. Upon the application, the solution forms a nano-thickness layer of film on top of the surface, enables the solution to stay effective up to 14 days, provides a long term safer and healthier living.

| | | | |
|------------|---------------------------|-------------|----------------------------------|
| PHYSICAL | Liquid(Water based) | SHELF LIFE | 12 months |
| COLOR | Yellowish | CURING TIME | Instant |
| ODOUR | Pine aroma | LAYER | One or two for more coverage |
| DURABILITY | Up to 14 days | APPLICATION | Spray onto surface or to the air |
| COVERAGE | 100m ² / Litre | | |



Headache ? Cough ? Dizzy ? Sore throat ?

It could be bacteria! We are here to provide a healthier environment!



The long lasting anti-bacteria to keep you PURIFIED !



G-Activ Unilize+



| PRODUCT CODE | | PACKING | |
|-------------------|-------|----------------|---------|
| GAUNL+ | 300ml | Plastic Bottle | |
| PROFESSIONAL ONLY | | | |
| PRICE (T&C apply) | | 300ml | USD 184 |

Long Lasting Anti-Bacteria Coating

Unilize+ uses photocatalyst technology by embracing the usage of Nano-TiO₂ formulation. TiO₂ is non-toxic or considered a safe substance and harmless to human. The solution sterilizes and destroys bacteria, virus and mold. Ultimately Unilize+ neutralizes odour, reduces VOC and NOx. Enhances indoor air quality, provides a safe and comfort living experience twenty-four by seven; containing self-binding capability which allows the solution lasts up to one year and above.

| | | | |
|------------|----------------------------|-------------|------------------------------|
| PHYSICAL | Liquid (Water based) | SHELF LIFE | 18 months |
| COLOUR | White | CURING TIME | 30 minutes |
| ODOUR | None | LAYER | Multiple for better coverage |
| DURABILITY | >1 year | APPLICATION | HPLV Mist Spray |
| COVERAGE | 300 m ² / Litre | | |



G-Activ Series



G-Activ Iron Remover


Metal and Rim Iron Remover

| PRODUCT CODE | | PACKING | |
|--------------------------|-----------------------|--------------|--------------------|
| GAIR | 300ml | Spray Bottle | 20Lit Plastic Drum |
| PRICE (T&C apply) | | | |
| Ala Carte | Set | | |
| 1 Carton Box(44 bottles) | 1 Carton Box(22 sets) | | |
| USD 5.4 per bottle | USD 7.9 per set | | |

Distinctive and pH neutral formula from TEVO to rapidly decomposing iron particle and degreasing oil on metal surface. Metal Iron Remover generates foam while spraying onto the surface; thus it provides wider coverage than standard product which available in the market. In other words, lesser consumption required and much more cost effective.

Can be used on : Alloy wheel, stainless steel, and chrome.

- Remove dirt and iron particles
- Break down grease
- Remove unwanted wax
- User friendly
- Hydrophilic finishing
- Greatly enhance coating bonding
- Harmless to skin
- Purple spot can be seen after particle has been decomposed



Professional Series



MetalScrub

Metal Rejuvenation Cleaner

| PRODUCT CODE | | PACKING | |
|-------------------|-------|----------------|----------|
| MS | 300ml | Plastic Bottle | |
| PRICE (T&C apply) | | | |
| | | 300ml | USD 74.5 |

Specially formulated abrasive scrub for metal and aluminium surfaces. MetalScrub helps to remove your oxidized metal surfaces and restore your metal surface with chrome mirror finishing. Best before MetalGard.

Can be used on : Alloy wheel, stainless steel, and chrome.

- Remove oxidized particles
- Restore glossiness
- Remove minor scratch
- User friendly
- Contain oil and filler
- Hydrophobic finishing
- Harmless to skin



BodyScrub


Stubborn Stain Instant Remover

| PRODUCT CODE | | PACKING | |
|-------------------|-------|--------------|--------|
| BS | 300ml | Spray Bottle | |
| PRICE (T&C apply) | | | |
| | | 300ml | USD 26 |

Mild acidic based metal painted surface cleaner that work like clay. It helps to remove iron and dirt particles that are deeply adhered to your car body surface easily. Best to be used before BodyGard.

Can be used on : Alloy wheel and car body.

- Remove dirt and iron particles
- Break down grease
- Remove unwanted wax
- User friendly
- Hydrophilic finishing
- Greatly enhance coating bonding
- Harmless to skin
- Purple spot can be seen after particle has been decomposed



G-Activ Series



G-Activ Glass Degreaser

Decompose tough oil and old coating

It breaks down incurable scales, stains, and old grease quickly and easily, best to use as a quick preparation before TEVO GlassGard.

- Can be used on :
Any glass surface, window, and mirror.
- Remove Grease and dirt
 - Extremely clean finishing
 - Restore surface smoothness
 - Scrub by using hand or machine
 - Harmless to skin
 - Perfect for brand new car
 - User friendly
 - Remove unwanted wax and coating
 - Hydrophilic finishing
 - Enhance coating bonding
 - Non-acidic based



| | | |
|--------------------------|-----------------------|----------------|
| PRODUCT CODE GAGD | PACKING | |
| | 300ml | Plastic Bottle |
| 20Lit Plastic Drum | | |
| PRICE (T&C apply) | | |
| Ala Carte | Set | |
| 1 Carton Box(44 bottles) | 1 Carton Box(22 sets) | |
| USD 5.4 per bottle | USD 7.9 per set | |

Professional Series




Glass Watermark Remover

Remove stubborn watermark and stain

Used to remove stubborn watermark, scales & scratches from your glass surface. It can be done either by hand or polishing machines.

- Can be used on :
Any glass surface, window, and mirror.
- Remove deep watermark
 - Extremely clean finishing
 - Restore surface smoothness
 - Scrub by using hand or machine
 - Harmless to skin
 - Perfect for used car with stubborn stain
 - User friendly
 - Remove unwanted wax and coating
 - Remove unwanted coating
 - Hydrophilic finishing
 - Greatly enhance coating bonding
 - Non-acidic based



| | | |
|---------------------|---------|----------------|
| PRODUCT CODE GWR | PACKING | |
| | 300ml | Plastic Bottle |
| PRICE (T&C apply) | | |
| 300ml | USD 78 | |



BubbleMax Shampoo

Highly Concentrate 1:120 Bubble Shampoo

pH neutral car shampoo specially designed for high foaming deep cleaning without damaging your car paint lacquer and coated surface. Suitable for use on weekly basis washing routine. Foam spray gun is recommended for snow wash.

- Can be used on :
All exterior car surfaces
- Remove grease & dirt
 - Super clean finishing
 - Remove mild watermark
 - Harmless to skin
 - Restore surface smoothness
 - Remove unwanted wax
 - High foaming property



| | | |
|---------------------|---------|--------------|
| PRODUCT CODE BMS | PACKING | |
| | 300ml | Spray Bottle |
| 20Lit Plastic Drum | | |
| PRICE (T&C apply) | | |
| 300ml | USD 11 | |

| PRICE (T&C apply) | |
|-------------------|---------|
| 300 ml | 1 Litre |
| USD 17 | USD 38 |

PRODUCT CODE
P70
PROFESSIONAL ONLY



Bodywerk P70

One Step Polishing Compound

TEVO P70 is the ultimate swirl and polishing mark removal for soft or hard paint system. The low dust formula is water based and silicone free and able to keep the surface temperature low. It is the perfect compound to restore the clear coat to highest level of gloss. The compositions of P70 is suitable for removing sanding scratches from P1500 and finer.

| | | | |
|-----------|--|------------|--------------|
| PHYSICAL | Paste intergrading with micro powder (water based) | GRIT SIZE | 12.6 μ m |
| COLOR | White | DENSITY | 1.05 kg/Lit |
| ODOUR | Mild | SHELF LIFE | 24 months |
| FINISHING | High gloss | | |
| VISCOSITY | 20.5mm ² /s (40°C / 104°F) | | |



PACKING 1Lit/300ml Bottle



Bodywerk P Series



Scratches: Remove P1500 and finer sanding scratches
Polishing Pad: Wool or foam pad
Speed: Rotary 800-2000 RPM
 Random orbital 6000-10000 RPM

| PRICE (T&C apply) | |
|-------------------|----------|
| 300 ml | 1 Litre |
| USD 16.5 | USD 35.5 |

PRODUCT CODE
P80
PROFESSIONAL ONLY



Bodywerk P80

Cutting Polishing Compound

TEVO P80 is super-fast action compound and rapid removal of marks and scratches. The grain is extremely aggressive and yet suitable for materials such as gel coats, high gloss lacquers and composites. As a result, decent gloss of finishing can be achieved in shortest time by using P80. In-depth research and survey have been carried out before the formula is finalised, silicone free and special emulsion formula to reduce the risk of overheating the surface. The unique formula is formulated for all types of polishing machine and excellent in removing sanding scratches from P800 and finer.

| | | | |
|-----------|--|------------|----------------------|
| PHYSICAL | Paste intergrading with micro powder (water based) | GRIT SIZE | 21.8 [±] µm |
| COLOR | White | DENSITY | 1.45 kg/Lit |
| ODOUR | Mild | SHELF LIFE | 24 months |
| FINISHING | Scratch and watermark removed (rough) | | |
| VISCOSITY | 20.5mm ² /s (40°C / 104°F) | | |



PACKING 1Lit/300ml Bottle



Bodywerk P Series



Scratches: Remove P80 and finer sanding scratches
Polishing Pad: Wool pad
Speed: Rotary 800-2000 RPM
 Random orbital 6000-10000 RPM

STEP BY STEP PRODUCTS APPLICATION GUIDELINE

1



BubbleMax Shampoo
WASH THE CAR EXTERIOR



2



Glass Degreaser/Watermark Remover
WINDSCREEN AND GLASS
SURFACE CLEANING



3



BodyScrub
CAR BODY LACQUARED
SURFACE CLEANING




4



**MetalScrub/
Metal Iron Remover**
RIM AND CHROME
SURFACE

START HERE




9



PlusGard
PLASTIC PART SURFACE
COATING



8



BodyGard S36/ S60
CAR BODY LACQUERED
SURFACE COATING



7



GlassGard
WINDSCREEN AND GLASS
SURFACE COATING



6



Bodywerk P70/P80
CUTTING AND POLISHING
COMPOUND



5



UniClean
CAR INTERIOR WATERLESS
CLEANING

10



MetalGard
RIM AND CHROME
SURFACE COATING



11



UniAbsorbent
INTERIOR FABRIC SURFACE
COATING



12



LeatherGard
INTERIOR LEATHER
SURFACE COATING



13



Unilize/Unilize +
INTERIOR ANTI - BACTERIA
COATING



END HERE


STEP BY STEP MAINTENANCE APPLICATION GUIDELINE



tevo creations.com
HIGH PERFORMANCE
AUTOMOTIVE
COATING

START HERE


1




BubbleMax Shampoo
WASH THE CAR EXTERIOR



2



AutoRevive
INSTANT CAR BODY SURFACE COATING
(GLOSS & HYDROPHOBIC PERFORMANCE)



UniClean
CAR INTERIOR WATERLESS
CLEANING

4



SafeVision
INSTANT WINDSCREEN AND
GLASS SURFACE COATING

3




5



LeatherGard
INTERIOR LEATHER
SURFACE COATING



6



Unilize/Unilize +
INTERIOR ANTI - BACTERIA
COATING

END HERE





TEVO CREATION INC. (1100424-K)

Plot 155, Jln. Perindustrian Bukit Minyak 7,
Bkt. Minyak Industrial Estate,
MK 13, S.P.T. 14100 Bkt. Mertajam,
Penang, Malaysia.



A REAL QUARTZ PRODUCT



/tevocreations



tevocreations_coating



tevocreations.com